# **CITY OF PHILADELPHIA DEPARTMENT OF PARKS AND RECREATION**



# SITE IMPROVEMENTS TO: **GIFFORD PARK MINI PITCH**

575 TOMLINSON RD. PHILADELPHIA, PA 19116


# PRA PROJECT NO. 16291E-01-06


LANDSCAPE ARCHITECT & CIVIL ENGINEER:



## DRAWING INDEX

Sheet Number	Sheet Title
L-001 CC	OVER SHEET
L-101 EXISTING	CONDITIONS PLAN
L-102 DEM	OLITION PLAN
L-103 MAT	ERIALS PLAN
L-104 LA	YOUT PLAN
L-501	DETAILS
L-601 ALTE	RNATES PLAN
L-602 ALTE	RNATES PLAN





## GENERAL SURVEY (TOPOGRAPHIC) NOTES

1. HORIZONTAL COORDINATES ARE REFERENCED TO PENNSYLVANIA STATE PLANE (PA S.P.C.S.-SOUTH ZONE "3702") AND WERE DERIVED FROM GPS OBSERVATIONS UTILIZING GNSS RTN NETWORK "SMARTNET".

2. VERTICAL ELEVATIONS ARE REFERENCED TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88) DATUM AND WERE DERIVED FROM GPS OBSERVATIONS UTILIZING GNSS RTN NETWORK "SMARTNET".

3. IN COMPLIANCE WITH PENNSYLVANIA ACT 287 OF 1974 AND AMENDED BY ACT 50 OF 2017. ANY UNDERGROUND UTILITIES SHOWN ON THIS PLAN ARE A COMPILATION OF ACTUAL FIELD LOCATIONS AND DATA FURNISHED FROM INFORMATION SUPPLIED BY OTHERS. JMT ASSUMES NO RESPONSIBILITY FOR THE LOCATION OF ALL UNDERGROUND UTILITIES AS DEPICTED ON THIS DRAWING. ANY REQUEST FOR ADDITIONAL UNDERGROUND UTILITY INFORMATION SHOULD BE DIRECTED TO THE RESPECTIVE UTILITY COMPANY.


4. NO ATTEMPT HAS BEEN MADE AS A PART OF THIS SURVEY TO OBTAIN OR SHOW ALL DATA CONCERNING EXISTENCE, SIZE, DEPTH, CONDITION, CAPACITY, OR LOCATION OF ANY UTILITY OR MUNICIPAL/PUBLIC SERVICE FACILITY. FOR INFORMATION REGARDING THESE UTILITIES OR FACILITIES, PLEASE CONTACT THE PENNSYLVANIA ONE CALL SYSTEM, INC. AND NOTIFICATION MUST BE 3 TO 10 WORKING DAYS PRIOR TO ANY EXCAVATION (PA ACT 287-2016, AMENDED BY PA ACT 50-2017).


5. THE TOPOGRAPHIC FEATURES SHOWN HEREON ARE BASED ON FIELD SURVEYS CONDUCTED MAY 2022.

## LEGEND

EXISTING FEATU	IRES	
CHAIN LINK FENCE	X	Х—
TREE OR BRUSH LINE		
MAJOR CONTOUR MINOR CONTOUR	600 ·	
UNDERGROUND GAS	G	G—
UNDERGROUND ELECTRIC	————UE————	
UNDERGROUND TELEPHONE	UT	
	UC	
UNDERGROUND FIBEROPTIC SANITARY SEWER	——————————————————————————————————————	
SANITARY FORCE MAIN	——————————————————————————————————————	
STORM DRAIN		
UNDERGROUND DOMESTIC WATER	W	w —
UNDERGROUND STEAM		
OVERHEAD CABLE TELEVISION	0	
	— — — — — OE— — — — — — — — — — OE/T—	
OVERHEAD ELECTRIC-TELEPHONE OVERHEAD ELECTRIC-TELEPHONE-CABLE	OE/T/C _	
OVERHEAD TELEPHONE	T	
OVERHEAD TELEPHONE-CABLE	OT/C	
OVERHEAD WIRE		онw
OVERHEAD STEAM		OST
TRAVERSE OR FLYPOINT	$\overset{\Delta}{TRAV}$	
FOUND CONCRETE MONUMENT (OR AS NOTED)	•	
FOUND REBAR, IRON PIPE, PK NAIL, OR RAILROAD SPIKE (OR AS NOTED)	0	
DECIDUOUS TREE (OR AS NOTED)	$\bigcirc$	
CONIFEROUS TREE (OR AS NOTED)	N.X.	
CABLE JUNCTION BOX	C	
CABLE TV MANHOLE	$\sim$	
UTILITY POLE (ELECTRIC OR TELEPHONE)	Ø	
GUY WIRE	€	
ELECTRIC JUNCTION BOX/TRANSFORMER	E	
ELECTRIC METER	EM	
ELECTRIC MANHOLE	Ê	
LIGHT STANDARD	X	
GAS MANHOLE	$\bigcirc$	
GAS VALVE	GV ⊗	
GAS METER		
GAS VENT	VENT o	
UNKNOWN MANHOLE	MH	
UNKNOWN UTILITY POLE	UKN 	
SANITARY SEWER CLEANOUT	, <i>co</i>	
SANITARY SEWER VENT	SV °	
SANITARY SEWER MANHOLE	Ś	
STORM DRAIN INLET - TYPE C		
STORM DRAIN INLET - TYPE M		
STORM DRAIN MANHOLE	 Ø	
DOWNSPOUT	DS	
STORM DRAIN CLEANOUT	° C0	
UTILITY HANDBOX	∘ <i>HBX</i> ⊡	
FIRE HYDRANT	<u>ل</u>	
WATER VALVE	e wv o	
WATER MANHOLE	(M)	
WATER METER	WM	

REVISION	IS	1
ISSUE	DATE	DESCRIPTION
	PHIL ADEL PHIA	TT MANE TO
Philadelph and Depar 1515 Arch Philadelph	COORDINATC ia Parks & Recr tment of Public Street, 11th Flo ia, PA 19102 ara Rasheed, 2	eation Property or
SEAL		
	THOMAS E	IEAL DISTERED ESSIONAL E. FARCHT, JR. LAND RVEYOR 037547-E
PROJECT	TEAM	
JMT		
	I, MIRMIRAN, A KET STREET, S	ND THOMPSON, INC. SUITE 520
PHILADEL	PHIA, PA 1910	3
267.256.03	300   WWW.JN	MT.COM
1		
1		
1		
1		
1		
1		
1		
CITY OF F	PHILADELPHIA	
DEPARTM	IENT OF PUBL	IC PROPERTY
	H STREET	WAY BUILDING
	PHIA, PENNS	
PROJECT	TITLE	
	PARK MINI PIT	СН
DRAWING		
EX	IS FING CC	NDITIONS PLAN
PROJECT	NO.	DRAWING NO.
16291E-01	-06	
<b>DATE:</b> 10/	31/2022	
	AS NOTED	— L-101
DRAWN B		 IG
		N4
CHECKE	DBY: A	····   FII F.
CHECKEI NOTE: A	LL DIMENSION	IS AND CONDITIONS SHALL
CHECKEE NOTE: A B T	LL DIMENSION E VERIFIED BY	





### REVISIONS **DEMOLITION NOTES** ISSUE DATE DESCRIPTION 1. CONTRACTOR SHALL PERFORM A PA ONE CALL PRIOR TO ANY DEMOLITION ACTIVITIES. 2. PRESERVE AND PROTECT ALL EXISTING FEATURES TO REMAIN: STRUCTURES, LIGHTING, SURFACE MATERIALS, ABOVE AND BELOW GRADE UTILITIES, FOOTING AND VEGETATION WITHIN AND ADJACENT TO CONSTRUCTION AREA DURING ALL PHASES OF DEMOLITION AND CONSTRUCTION. 3. MEET ALL EXISTING GRADES AT ALL EDGES OF PROJECT. IF ENCOUNTERED ADJUST ANY EXISTING UTILITIES TO MEET 4. DO NOT DRIVE OR PARK, STORE MATERIAL OR DEBRIS ON THE SITE EXCEPT IN AREAS APPROVED BY OWNER. STAGING AREAS SHALL BE APPROVED BY OWNER. DO NOT STAGE MATERIALS IN AREAS OTHER THAN THOSE THAT ARE PREVIOUSLY DESIGNATED BY THE OWNER. 5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIR OR REPLACEMENT TO ANY EXISTING ANY FEATURES DISTURBED OR DAMAGED BY THE CONSTRUCTION OR DEMOLITION ACTIVITIES PROPOSED HEREIN. 6. ALL EXISTING TREES ARE TO REMAIN. 7. CUTTING AND PATCHING OF EXISTING PAVEMENTS TO REMAIN SHALL BE COMPLETED WITH CARE. 8. DEMOLITION WORK SHALL BE SCHEDULED AND IMPLEMENTED WITH MINIMAL DISRUPTION TO ADJACENT OCCUPIED AREAS. 9. ALL EXISTING UNDERGROUND UTILITIES, UTILITY POLES, GUY WIRES, MANHOLES, AND HYDRANTS UNLESS OTHERWISE NOTED SHALL NOT BE DISTURBED BY THE CONTRACTORS DEMOLITION EFFORTS UNLESS NOTED FOR REMOVAL. 10. ALL ITEMS NOTED FOR REMOVAL SHALL BE REMOVED IN THEIR ENTIRETY, INCLUDING ALL ASSOCIATED APPURTENANCES UNLESS OTHERWISE NOTED. 11. THE CONTRACTOR SHALL INDEMNIFY AND HOLD HARMLESS THE OWNER AND/OR LANDSCAPE ARCHITECT FOR ANY AND ALL INJURIES AND/OR DAMAGES TO PERSONNEL, EQUIPMENT AND/OR EXISTING FACILITIES IN THE DEMOLITION AND CONSTRUCTION DESCRIBED IN THE PLANS AND SPECIFICATIONS. 12. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO EXAMINE THE SITE AND BE FAMILIAR WITH EXISTING CONDITIONS PRIOR TO BIDDING ON THE DEMOLITION WORK FOR THIS PROJECT. IF THE CONDITIONS ENCOUNTERED DURING EXAMINATION ARE PROJECT COORDINATOR SIGNIFICANTLY DIFFERENT THAN THOSE SHOWN, THE CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT Philadelphia Parks & Recreation and Department of Public Property 13. ALL DEMOLITION WASTE AND CONSTRUCTION DEBRIS SHALL BE REMOVED BY THE CONTRACTOR AND DISPOSED OF IN A 1515 Arch Street, 11th Floor STATE APPROVED WASTE SITE AND IN ACCORDANCE WITH ALL LOCAL AND STATE CODES AND PERMIT REQUIREMENTS. Philadelphia, PA 19102 Contact: Tara Rasheed, 215-683-0252 14. ASBESTOS OR HAZARDOUS MATERIALS, IF FOUND ON SITE, SHALL BE REMOVED BY A LICENSED HAZARDOUS MATERIALS CONTRACTOR. CONTRACTOR SHALL NOTIFY OWNER IMMEDIATELY IF HAZARDOUS MATERIALS ARE ENCOUNTERED. 15. CONTRACTOR SHALL PROTECT ALL CORNER PINS, MONUMENTS, PROPERTY CORNERS, AND BENCHMARKS DURING SEAL DEMOLITION ACTIVITIES. IF DISTURBED, CONTRACTOR SHALL HAVE DISTURBED ITEMS RESET BY A LICENSED SURVEYOR AT NO ADDITIONAL COST TO THE OWNER. 16. CONTRACTOR SHALL PROTECT AT ALL TIMES ADJACENT EXISTING STRUCTURES AND ITEMS FROM DAMAGE DUE TO DEMOLITION / CONSTRUCTION ACTIVITIES. 17. CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS CONSTRUCTION SET FOR OTHER PERTINENT INFORMATION. 18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL WORK ZONE SAFETY AS MANDATED BY OSHA, THE MUNICIPALITY, OR THE OWNER'S AUTHORIZED REPRESENTATIVE. 19. CONTRACTOR SHALL COORDINATE WITH LANDSCAPE ARCHITECT AND OWNER PRIOR TO REMOVING ANY ITEMS OTHER THAN WHAT IS SHOWN ON THESE PLANS. 20. EXISTING TENNIS COURT POSTS SHALL BE SAWCUT FLUSH WITH THE MILLED PAVEMENT ELEVATION AND FILLED WITH

## EXISTING CRACK REPAIR AND SURFACE PREPARATION

1. APPLY WEED KILLER OR SIMILAR PRODUCT TO ELIMINATE ALL EXISTING VEGETATION WITHIN THE EXISTING TENNIS COURT

2. EXISTING ASPHALT SURFACE PREPARATION SHALL BE IN ACCORDANCE WITH SECTION 469.3 (C) PENNDOT SPECIFICATIONS. 2.1. GEOTEXTILE FABRIC AND ASPHALT SEALING OF LONGITUDINAL AND TRANSVERSE RANDOM CRACKS IN EXISTING

PAVEMENT SURFACE SHALL BE IN ACCORDANCE WITH DETAILS ON SHEET L-501.

MILL EXISTING BITUMINOUS PAVEMENT

SAWCUT AND REMOVE EXISTING PAVEMENT FOR POST FOOTER INSTALLATION

CITY OF PHILADELPHIA DEPARTMENT OF PUBLIC PROPERTY

1515 ARCH STREET 11TH FLOOR, ONE PARKWAY BUILDING PHILADELPHIA, PENNSYLVANIA

PROJECT TITLE GIFFORD PARK MINI PITCH

DRAWING TITLE

PROJECT TEAM

JOHNSON, MIRMIRAN, AND THOMPSON, INC.


1600 MARKET STREET, SUITE 520


267.256.0300 | WWW.JMT.COM

PHILADELPHIA, PA 19103


DEMOLITION PLAN	l
-----------------	---


PROJE	CT NO.		DRAWING NO.
16291E	-01-06		
DATE:	10/31/2022		L-102
SCALE	: AS NOTED		
DRAW	NBY:	MG	
CHECK	ED BY:	AM	FILE:
NOTE:	BE VERIFIED	BY THE	D CONDITIONS SHALL CONTRACTOR AT ROCEEDING WITH THE







	<b></b>		
SENERAL NOTES	REVISION	DATE	DESCRIPTION
<ol> <li>PROPOSED FENCE SCREEN IS BEING INSTALLED ONTO AN EXISTING FENCE WITHOUT THE BENEFIT OF WIND LOAD VERIFICATION. WIND LOAD CALCULATIONS CANNOT BE PERFORMED ON UNKNOWN EXISTING FENCE CONDITIONS.</li> </ol>			
2. FENCING: 2.1. REPLACE ANY MISSING OR DAMAGED TOP RAILS, MID RAILS, BOTTOM RAILS, WIRE TIES, POST CAPS, ETC, WITH SIMILAR MATERIALS TO MATCH EXISTING			
<ul> <li>CAPS, ETC. WITH SIMILAR MATERIALS TO MATCH EXISTING.</li> <li>2.2. REPLACE ANY EXISTING CHAIN LINK FABRIC WHICH IS DAMAGED, NOT FULL HEIGHT OR HAS NOT BEEN PROPERLY SPLICED WITH EXISTING CHAIN LINK FABRIC. CONTRACTOR SHALL</li> </ul>		+	
REVIEW ALL PROPOSED FENCING TO BE REPLACED WITH OWNERS REPRESENTATIVE PRIOR TO ANY FENCE WORK BEING COMPLETED. 2.3. ALL NEW CHAIN LINK FENCE FABRIC SHALL BE GALVANIZED AND MATCH THE EXISTING			 &
<ul> <li>FABRIC GAUGE AND DIAMOND SIZE.</li> <li>3. EXISTING CRACK REPAIR:</li> </ul>		Q 4	
<ol> <li>ALL EXISTING CRACKS IN BITUMINOUS PAVEMENT WITHIN THE EXISTING TENNIS COURT SHALL BE REPAIRED PER DETAILS ON SHEET L-501.</li> <li>LIMIT OF REPAIR SHALL BE THE MILLING LINE CLOSEST TO THE EXISTING FENCE LINE.</li> </ol>	Ĺ		
<ul> <li>4. FLOOD TESTING:</li> <li>4.1. ONCE THE SURFACE HAS BEEN THOROUGHLY CLEANED AND IS FREE OF ALL LOOSE MATERIAL, DIRT, OR DUST, THE COURT SHALL BE FLOODED AND ALLOWED TO DRAIN A MINIMUM OF 20 MINUTES AND A MAXIMUM OF 1 HOUR. ANY AREA THAT HOLDS WATER (BIRDBATHS) IN A DEPTH GREATER THAN 1/8 INCH SHALL BE OUTLINED AND LEVELED PER SPECIFICATIONS.</li> </ul>		PHILADELPH	IA MANETO
<ol> <li>SURFACING:</li> <li>NEW ASPHALT PAVEMENT SHALL RECEIVE BLACK ACRYLIC RESURFACER PER ACRYLIC SURFACING SPECIFICATION PRIOR TO LINE STRIPING.</li> </ol>	Philadelph and Depa	T COORDINA hia Parks & Re artment of Pub	ecreation lic Property
6. LINE STRIPING SHALL BE ACRYLIC COATING PER SPECIFICATIONS, INSTALL PER MANUFACTURERS RECOMMENDATIONS, INCLUDING EXISTING SURFACE CLEANING, TEMPERATURE RESTRICTIONS, ETC.	1515 Arch Philadelph	h Street, 11th hia, PA 19102	Floor
<ol> <li>PRIOR TO THE INSTALLATION OF THE MINI PITCH GOALS, CONTRACTOR SHALL REVIEW SITE CONDITIONS AT ALL GOAL LOCATIONS WITH LANDSCAPE ARCHITECT TO DETERMINE IF ANY LEVELING WILL BE REQUIRED FOR THE GOALS.</li> <li>IF LEVELING IS REQUIRED CONTRACTOR SHALL SUBMIT METHOD OF LEVELING FOR APPROVAL BY LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.</li> </ol>	SEAL		
		A PARTY AND A PART	
EOTEXTILE FABRIC		GISTERNE	RESISTRATION NUMBER LA001239E
1. ALL REPAIRED CRACKS SHALL HAVE GEOTEXTILE FABRIC INSTALLED PER DETAIL 2 ON SHEET L-501			A/DSCAL MININ
REQUIRED SUBMITTALS	PROJEC	TTEAM	
<ol> <li>COLOR COAT SURFACING</li> <li>1.1. PER SPECIFICATIONS.</li> <li>1.2. SHOP DRAWING OF FINAL LAYOUT.</li> </ol>	1600 MAF PHILADE	RKET STREE LPHIA, PA 19	9103
2. FENCING 2.1. PER SPECIFICATIONS.		0300   WWW	
<ol> <li>FENCE SCREEN</li> <li>3.1. PRODUCT DATA: INCLUDE PRODUCT INFORMATION AND TECHNICAL DATA.</li> </ol>			
3.2. LOGO AND LAYOUT SHOP DRAWINGS.			
<ul> <li>4. ASPHALT ANCHORS</li> <li>4.1. PRODUCT DATA: INCLUDE PRODUCT INFORMATION AND TECHNICAL DATA.</li> </ul>			
5. BITUMINOUS PAVEMENT 5.1. PER SPECIFICATIONS.			
<ol> <li>MINI PITCH GOALS</li> <li>6.1. PRODUCT DATA AND CUT SHEETS.</li> </ol>			
.EGEND			
BITUMINOUS PAVEMENT OVERLAY			
– – – – MILLING LIMIT LINE			
2" LINE STRIPE - WHITE*			
2" WIDE DASHED LINE STRIPING		PHILADELPH MENT OF PU	IIA BLIC PROPERTY
$ \begin{array}{c} & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & $	1515 ARC 11TH FLC	CH STREET OOR, ONE PA	RKWAY BUILDING
	PHILADE	LPHIA, PENN	ISYLVANIA
		D PARK MINI I	PITCH
DASHED LINE STRIPING LAYOUT	DRAWIN		
	PROJEC		RIALS PLAN
	16291E-0		
	DATE: 10 SCALE:	)/31/2022 AS NOTED	L-103
	DRAWN	BY:	MG
		ALL DIMENSI	AM FILE: ONS AND CONDITIONS SHALL BY THE CONTRACTOR AT
	Т		FORE PROCEEDING WITH THE






ISSUE	DATE	DESCRIPTION
Γ		
F	HILADELPHI	MANETO
		$\mathcal{O}\mathcal{F}\mathcal{O}$
	COORDINAT	
and Depart	ia Parks & Re tment of Publi Street, 11th F	c Property
Philadelphi	ia, PA 19102	215-683-0252
SEAL		
	NUMBER OF	SYLVANIA NA IN COMPANY
	GIST	
		MDSCA: Minimum
PROJECT	ТЕАМ	
JMT		
JOHNSON	I, MIRMIRAN, KET STREET	AND THOMPSON, INC.
PHILADEL	PHIA, PA 191	103
267.256.03	300   WWW.	JMT.COM
	אוו עטבו פטי	Δ
	HILADELPHI	A BLIC PROPERTY
DEPARTM	I <mark>ENT OF PUB</mark> H STREET	BLIC PROPERTY
DEPARTM 1515 ARCH 11TH FLOO	I <mark>ENT OF PUB</mark> H STREET	BLIC PROPERTY RKWAY BUILDING
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE	BLIC PROPERTY RKWAY BUILDING SYLVANIA
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT	I <b>ENT OF PUB</b> H STREET OR, ONE PAF PHIA, PENNS	BLIC PROPERTY RKWAY BUILDING SYLVANIA
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P	BLIC PROPERTY RKWAY BUILDING SYLVANIA
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P	BLIC PROPERTY RKWAY BUILDING SYLVANIA
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD	H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P	BLIC PROPERTY RKWAY BUILDING SYLVANIA
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD DRAWING	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P TITLE LAY( NO.	BLIC PROPERTY RKWAY BUILDING SYLVANIA ITCH
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD DRAWING	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P TITLE LAYC NO. -06	BLIC PROPERTY RKWAY BUILDING SYLVANIA ITCH DUT PLAN DRAWING NO.
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD DRAWING PROJECT 16291E-01 DATE: 10/3 SCALE: A	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P TITLE LAY( NO. -06 31/2022 AS NOTED	BLIC PROPERTY RKWAY BUILDING SYLVANIA ITCH DUT PLAN DRAWING NO. L-104
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD DRAWING PROJECT 16291E-01 DATE: 10/3	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P TITLE LAY( NO. -06 31/2022 AS NOTED Y:	BLIC PROPERTY RKWAY BUILDING SYLVANIA ITCH DUT PLAN DRAWING NO. L-104 MG
DEPARTM 1515 ARCH 11TH FLOO PHILADEL PROJECT GIFFORD DRAWING PROJECT 16291E-01 DATE: 10/3 SCALE: A DRAWN B CHECKED NOTE: AI	IENT OF PUB H STREET OR, ONE PAF PHIA, PENNS TITLE PARK MINI P TITLE LAY( NO. -06 31/2022 AS NOTED Y: DBY: LL DIMENSIO	BLIC PROPERTY RKWAY BUILDING SYLVANIA ITCH DUT PLAN DRAWING NO. L-104 MG





MINI PITCH GOAL 4 L-501 / / NTS


## CONTRACTOR SHALL ENSURE




- GEOTEXTILE FABRIC, TYPE II EXTEND FABRIC MINIMUM 1FT BEYOND ASPHALT CRACK


- SEAL EXISTING PAVEMENT CRACKS FROM 3/8" - 1" WIDE WITH RUBBERIZED JOINT SEALING MATERIAL. FILL CRACKS >1" WIDE WITH ASPHALT WEARING

- EXISTING BITUMINOUS PAVEMENT



### BITUMINOUS PAVEMENT CRACK REPAIR 2 L-501 / NTS






- LOGOS SHALL BE CENTERED VERTICALLY IN FENCE SCREEN MOUNT SCREEN TO TOP OF FENCE.
- INSTALL SCREEN PER MANUFACTURERS RECOMMENDATIONS.
- "GIFFORD PLAYGROUND" LETTERING SHALL BE ARIAL BLACK FONT, 14" TALL LETTERS
- PROPOSED FENCE SCREEN IS BEING INSTALLED ONTO AN EXISTING FENCE WITHOUT THE BENEFIT OF WIND LOAD
- VERIFICATION. WIND LOAD CALCULATIONS CANNOT BE PERFORMED ON UNKNOWN EXISTING FENCE CONDITIONS.

ightarrow 7' X 100' FENCE SCREEN


5

L-501 / NTS

REVISION	IS		
ISSUE	DATE	DESCRIPTION	
	Ā		
ſ	7)		
4		4tt	
	PHILADELPHIA	MANETO	
PROJECT	COORDINATO	DR	
	ia Parks & Rec		
1515 Arch	tment of Public Street, 11th Flo		
	ia, PA 19102 ara Rasheed, 2	15-683-0252	
SEAL			
	WIIII		
	NIN PENN	N A. MARY	
		CHE AND	
		DSCAUMIN	
PROJECT	TEAM		
		AND THOMPSON, INC.	
1600 MAR	KET STREET,	SUITE 520	
	PHIA, PA 1910 300   WWW.JI		
CITY OF P	PHILADELPHIA	Ι	
		IC PROPERTY	
	H STREET OR, ONE PARI	KWAY BUILDING	
	PHIA, PENNS		
PROJECT			
	PARK MINI PI	ГСН	
DRAWING	TITLE		
	DE	TAILS	
PROJECT			
16291E-01		DRAWING NU.	
DATE: 10/			
	AS NOTED	— L-50	11
DRAWN B		ЛG	
CHECKED	) BY: /	AM FILE:	
		S AND CONDITIONS	
Т		RE PROCEEDING WIT	
N			



ERNATE			REVISIO	NS	
	ES		ISSUE	DATE	DESCRIPTION
	I <u>(ADD ALT)</u> FULL REMOVAL OF ALL EXISTING CHAIN LINK FABRIC LL EXISTING FENCE POSTS AND FRAMEWORK.	CAROUND COURT AREA.			
3. PAINT AL 3.1. PAINT INTER 4. INSTALL I INSTALLAT	L EXISTING FENCE POSTS AND FRAMEWORK BLACK. SHALL BE PAINT RUST-OLEUM PROFESSIONAL FLAT B IOR/EXTERIOR OIL-BASED INDUSTRIAL ENAMEL PAINT NEW BLACK VINYL COATED CHAIN LINK FABRIC AND F ION COMPONENTS AROUND ENTIRE COURT (INCLUDI	OR APPROVED EQUAL			
ALTERNATE #2	R SPECIFICATIONS. 2 (ADD ALT) OR COAT SURFACING TO CENTER CIRCLE AND GOAL	CREASE AREAS.			
GEND			<u>-</u>	PHILADELPH	IA MANE TO
	COLOR COAT AREA TO BE ADDED - COLOR 1: LIGH	IT BLUE*	Philadelp	T COORDINA hia Parks & R	ecreation
	COLOR COAT AREA TO BE ADDED - COLOR 2: DAR	K BLUE*	1515 Arcl Philadelp	artment of Pub h Street, 11th hia, PA 19102 Tara Rasheed	Floor
COLOR SECTION TE OF STANDA	ONS TO BE MADE BY OWNER FROM MANUFACTURERS RD COLORS.	5	SEAL		
				THE A	NSYLVA ANIA
+		INYL COATED NK FABRIC		REGIS	
					AVDSCATT TUNIN
	FASTENERS AT 15" OC MAX (TYP)				
			<b>PROJEC</b> JMT		I, AND THOMPSON, INC.
			1600 MAI PHILADE	RKET STREE ELPHIA, PA 19 0300   WWW	T, SUITE 520 9103
	FASTENERS AT 14" OC MAX (TYP)				
<b>INT</b> 1					
			DEPART		IIA BLIC PROPERTY
			<b>DEPART</b> 1515 ARC 11TH FLC	MENT OF PU	BLIC PROPERTY RKWAY BUILDING
			DEPART 1515 ARG 11TH FLG PHILADE PROJEC	MENT OF PU CH STREET OOR, ONE PA CLPHIA, PENN	<b>BLIC PROPERTY</b> RKWAY BUILDING ISYLVANIA
			DEPART 1515 ARG 11TH FLG PHILADE PROJEC	MENT OF PU CH STREET DOR, ONE PA ELPHIA, PENN T TITLE D PARK MINI I	BLIC PROPERTY RKWAY BUILDING ISYLVANIA PITCH
			DEPART 1515 ARG 11TH FLG PHILADE GIFFORE DRAWIN PROJEC	MENT OF PU CH STREET DOR, ONE PA ELPHIA, PENN T TITLE D PARK MINI I G TITLE ALTER T NO.	<b>BLIC PROPERTY</b> RKWAY BUILDING ISYLVANIA
			DEPART 1515 ARG 11TH FLG PHILADE GIFFORE DRAWIN PROJEC 16291E-0 DATE: 10	MENT OF PU CH STREET DOR, ONE PA CLPHIA, PENN T TITLE D PARK MINI I G TITLE ALTER T NO. D1-06	BLIC PROPERTY RKWAY BUILDING ISYLVANIA PITCH RNATES PLAN DRAWING NO.
			DEPART 1515 ARG 11TH FLG PHILADE GIFFORE DRAWIN PROJEC 16291E-0 DATE: 10	MENT OF PU CH STREET DOR, ONE PA CLPHIA, PENN T TITLE D PARK MINIT G TITLE ALTER T NO. 0/31/2022 AS NOTED BY:	BLIC PROPERTY RKWAY BUILDING ISYLVANIA PITCH



	REVISIO	NS	
LTERNATES	ISSUE	DATE	DESCRIPTION
$\sim$	=		
<ul> <li>ALTERNATE #3 (ADD ALT)</li> <li>1. INCLUDE FULL DEPTH REMOVAL INCLUDING STONE BASE OF THE EXISTING COURT PAVEMENT. REMOVE EXISTING PAVEMENT AS REQUIRED FOR THE REMOVAL OF</li> </ul>			
EXISTING FENCE POST FOOTERS. 2. INCLUDE FULL REMOVAL OF ALL EXISTING CHAIN LINK FENCE, INCLUDING ALL FENCE COMPONENTS AND CONCRETE FOOTERS.			
<ol> <li>REMOVE EXISTING TENNIS COURT POSTS INCLUDING CONCRETE FOOTERS.</li> <li>INSTALL NEW 10' HEIGHT CHAIN LINK FENCE AROUND ENTIRE MINI PITCH</li> <li>INSTALL NEW FULL DEPTH BITUMINOUS PAVEMENT AND BASE.</li> </ol>			
6. ALL OTHER WORK SHALL BE IN ACCORDANCE WITH THE BASE BID WORK.		<b>~</b> /	
	Ĺ		
		PHILADELPHI	MANE TO
ADE			
US TACK COAT VE ASPHALT MIXTURE DESIGN,	PROJEC	T COORDINAT	OR
NRING COURSE, PG 64S-22, ON ESALS, 9.5MM MIX, 1 $\frac{1}{2}$ " DEPTH,	Philadelp and Depa	hia Parks & Re artment of Publi	creation c Property
VE ASPHALT MIXTURE DESIGN,	Philadelp	h Street, 11th F hia, PA 19102 Tara Rasheed,	
BASE PAVEMENT, PG 64S-22, ON ESALS, 25MM MIX, 2 $\frac{1}{2}$ " DEPTH	SEAL		
, 6" DEPTH (NO. 2A)			
ILE, CLASS 4, TYPE A		NUMBER OF	SYLVANIII
ED SUBGRADE			
)		GISTER	
			WDSCAPF INIT
2.375" DIA. LINE POSTS (TYP)	PROJEC	T TEAM	
-1.66" DIA: EINE FOOTS (TTF) -1.66" DIA: TOP RAIL LINK FABRIC			AND THOMPSON, INC.
	PHILADE	RKET STREET ELPHIA, PA 19 <sup>:</sup> 0300   WWW.	103
FASTENERS AT			
15" OC MAX (TYP)			
14" OC MAX (TYP)       HOLD TOP OF FOOTINGS DOWN			
4" TO MATCH BOTTOM OF BITUMINOUS PAVEMENT			
12" CONCRETE FOOTING FOR ALL POSTS (3500 PSI)			
HEIGHT 3			
		PHILADELPH	
	1515 AR	CH STREET	
		OOR, ONE PAF ELPHIA, PENNS	RKWAY BUILDING SYLVANIA
	PROJEC GIFFORE	<b>t title</b> D park mini p	ІТСН
	DRAWIN		NATES PLAN
	PROJEC		DRAWING NO.
	16291E-0 <b>DATE:</b> 10	01-06	
	SCALE:	AS NOTED	L-602
	DRAWN CHECKE	D BY:	MG AM FILE:
	E	BE VERIFIED E	NS AND CONDITIONS SHALL BY THE CONTRACTOR AT ORE PROCEEDING WITH THE
		WORK.	
	<b>I</b>		